

<b>Fibre</b>	<b>unique grass fibre</b>
Fibre Content (%)	100%
Fibre Origin	Europe
Fibre Characteristics	treated, 100% biodegradable
<b>DIN / ISO Standard of ready produced blanket</b>	
Tensile Strength EN ISO-10319	89,5kg-force per 25cm
<b>Fire Resistance Proof</b>	<b>acc. to. DIN 4102-1</b>
<b>Weights &amp; Dimensions</b>	
Width (metre)	1,20
Length (metre)	25
Area (square metre)	30
Weight per Roll (kg)	30
<b>Weight / Total (gr./m<sup>2</sup>)</b>	<b>~ 900</b>
Weight / Fibre (gr./m <sup>2</sup> )	+/- 550
Blanket Thickness	10 – 20mm
<b>Functional Longevity</b>	
Functional Longevity F <sup>3</sup> -FIBRE	36-60 months
Functional Longevity WIRE MESH	approx. 12-15 years
Slope recommendation	upto 70°
<b>Nettings &amp; Thread</b>	
Top Wire Mesh Type	<b>acc. to DIN 1200 – 0,8mm wire</b>
Top Wire Mesh Size	25 x 25mm, hexagon
Top Wire Mesh Weight	350gr. /m <sup>2</sup>
Top Wire Mesh Galvanized Coating	+/- 0,075mm
Top Wire Mesh Break Resistance	350 – 500 N/mm <sup>2</sup>
Inner + Bottom Netting Type	Light – PP
Inner + Bottom Netting Mesh Size	6 x 6 mm
Inner + Bottom Netting Weight	4,8 gr./m <sup>2</sup>
Stitching thread	PP-thread (brown), UV-degradable
Stitching thread tensile strength	6,5 cN/dtex

The specifications presented herein are to the best of our knowledge true and accurate. GREENFIX cannot guarantee or warranty our products, unless agreed to in writing for specific conditions, for performance since the manner of handling; use and installation are beyond our control.

We cannot warrant our products to perform under unlimited circumstances due variables such as soil conditions, manner of installation and particularly severe weather conditions. Satisfactory results may not meet your expectations. No one can guarantee that required moisture will occur to permit growth after seed germination. We will not be liable for damages or losses, direct or indirect, of our GREENFIX Range of Products due to the above reasons.

**Latest-Update:** February 26, 2014

**Name:** Kai Tietjen

**File Name:** F3-2D

Copyright of these GREENFIX Document is reserved by SOILTEC GmbH. Copying or transmission of these document in whole or in part or any information contained therein is strictly prohibited without the prior authorization of SOILTEC GmbH, Germany.