

PROPERTIES		
Fibre	Coir / Straw	
Fibre Content	50 % / 50 %	
Total Blanket Weight	600 g./m ² (+/- 10 %)	
Weight of fibres	~ 300 g./m ²	
Functional Longevity	48 months	
Top + Bottom Netting Type	Strong	
Top + Bottom Netting Size	13 x 12 mm	
Top + Bottom Netting Weight	42 g./m ²	
Three-dimensional PE-Netting	~ 175 g./m ²	
Stitching thread + Tensile strength	HDPE Monofilament (brown), UV-stabilized, 50 cN/tex	
Slope recommendation	≥ 1:1	
STANDARDS		
Tensile Strength ISO-10319	2,2 kN per 20 cm	
D4595 Elongation	20 x 15 %	
Flow rate (m/s) ASTM D6460-07	6.2 m/s	
Max Permissible Shear Stress	125 N/m ²	
SHIPPING & ORDER INFORMATION		
Part No.	75SC105	75SC210
Width	1,05 m	2,10 m
Length	25 m	25 m
Area per Roll	26,25 m ²	52,50 m ²
Weight per Roll	15 kg	30 kg
Diameter per Roll	0,5 m	0,5 m
Volume per Roll	0,26 m ³	0,52 m ³

The specifications presented herein are to the best of our knowledge true and accurate. GREENFIX cannot guarantee or warranty our products, unless agreed to in writing for specific conditions, for performance since the manner of handling; use and installation are beyond our control.

We cannot warrant our products to perform under unlimited circumstances due variables such as soil conditions, manner of installation and particularly severe weather conditions. Satisfactory results may not meet your expectations. No one can guarantee that required moisture will occur to permit growth after seed germination. We will not be liable for damages or losses, direct or indirect, of our GREENFIX Range of Products due to the above reasons.

Latest-Update: June 19, 2019

Name: Kai Tietjen

File Name: TYPE 75SC

Copyright of these GREENFIX Document is reserved by SOILTEC GmbH. Copying or transmission of these document in whole or in part or any information contained therein is strictly prohibited without the prior authorization of SOILTEC GmbH, Germany.